

EARTHQUAKES



California is earthquake country!

Thousands of earthquakes occur in California each year, but most are too small to be felt. Some cause moderate damage and injuries in a small area. Others can cause regional destruction.

Because the San Andreas fault is the longest fault in the region, it produces the largest earthquakes. Scientists estimate that large earthquakes on the San Andreas occur about every 150 years. The largest earthquake on the southern portion of the San Andreas in recorded history occurred in 1857. The fault ruptured all the way from Parkfield in southern Monterey County to Cajon Pass in San Bernardino County. Scientists estimate its magnitude at 7.9. A repeat of this earthquake today would cause extensive damage, deaths, and injuries throughout Southern California. Many scientists are even more concerned about the potential for a large earthquake on the

southernmost section of the San Andreas, from the Salton Sea through the Coachella Valley to the Cajon Pass, where an earthquake has not occurred since around 1680. Such an earthquake may also cause great damage throughout the region.

In Southern California alone there are over 300 other faults that may also cause damaging earthquakes. Most everyone in Southern California lives within 30 miles of one of these faults. When earthquakes on these faults are in populated areas, the losses can be substantial. The Northridge earthquake in 1994 caused more than 33 deaths, more than 9,000 injuries, and \$40-\$42 billion in losses.

No one knows when or where such a quake will occur, but everyone can reduce their risk of death, injury, and property loss in an earthquake by following the Seven Steps to Earthquake Safety outlined on the reverse side of this Focus Sheet, wherever they live, work, or play. Also, all Californians can practice what to do to protect themselves during earthquakes (Drop, Cover, and Hold On) by participating in the "Great California ShakeOut" earthquake drill, on the third Thursday of October each year. For more information and to to register to participate, visit www.ShakeOut.org.

Check these websites

www.shakeout.org www.dropcoverholdon.org www.dropcoverholdon.org/espanol www.earthquakecountry.org (Earthquake Country Alliance/SCEC)



www.scec.org (Southern California Earthquake Center)

The Seven Steps to Earthquake Safety

The following steps are excerpted from "Putting Down Roots in Earthquake" Country." The full text can be viewed and print copies ordered at www.earthquakecountry.org/roots.

☐ Install latches on kitchen cabinets.	Llee nutty or way
 Secure TVs, stereos, computers, etc. with Velcro straps. adhesive for smaller items. 	Ose pully or wax
☐ Hang mirrors and artwork from closed hooks.	
☐ Secure top-heavy furniture and appliances to walls.	
☐ Install flexible connectors on gas appliances.	
Strap water heaters correctly to the wall.Store flammable or hazardous materials on lower shelve	aa ar an tha flaar
	as or on the hoor
Step 2: Create a disaster plan	
 Practice "drop, cover, and hold on." Keep shoes and a flashlight next to each bed. 	
☐ Take a Red Cross first aid and CPR course.	
☐ Know how and when to shut off utilities.	
☐ Learn how to properly use a fire extinguisher.	
☐ Select a safe place outside of your home to mee	t your family or
housemates after the earthquake. Designate an out-of-state contact person who can be	a called to relay
information.	e called to relay
☐ Keep your children's school release card current.	
Step 3: Create disaster supplies kits	
Keep a personal disaster supplies kit in your home, in your	car, and at work,
with at least the following:	
 ☐ Medications and important medical information ☐ First aid kit and handbook 	
☐ Spare eyeglasses or contact lenses	
☐ Bottled water and snack foods	
☐ Whistle (to alert rescuers to your location)	
☐ Emergency cash, in small bills.	
 List of out-of-state contact phone numbers Working flashlight with extra batteries and bulbs 	
☐ Personal hygiene supplies	
☐ Copies of personal identification	
☐ In addition to your personal disaster supplies kits, st	ore a household
disaster supplies kit with a three-day to one-week supply o	
live without normal services (water, electricity, etc.) and t	o begin recovery.
Step 4: Fix your building's potential weaknes	o begin recovery.
Step 4: Fix your building's potential weakness of your building needs the following retrofitting, you likely results to the following retrofitting.	o begin recovery.
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional:	o begin recovery. ses need to consult a
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least	o begin recovery. ses seed to consult a t every 6 feet to
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional:	o begin recovery. ses seed to consult a t every 6 feet to
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connections.	o begin recovery. sees need to consult a t every 6 feet to et in a multistory
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connetthe short "cripple" walls.	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connections.	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely r professional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood conne the short "cripple" walls. Larger openings in the lower floor, such as a garage	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of
Step 4: Fix your building's potential weakness If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced.	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions:	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building?	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions:	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls?	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs?	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls? Step 5: During earthquakes and aftershocks Drop! Cover! and Hold On! During earthquakes, drop to the floor, take cover under	o begin recovery. SSES need to consult a t every 6 feet to et in a multistory cting the studs of door, should be you rent. Ask the
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls? Step 5: During earthquakes and aftershocks Drop! Cover! and Hold On! During earthquakes, drop to the floor, take cover under table, and hold on to it firmly.	o begin recovery. SSES need to consult a t every 6 feet to et in a multistory cting the studs of door, should be you rent. Ask the
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls? Step 5: During earthquakes and aftershocks Drop! Cover! and Hold On! During earthquakes, drop to the floor, take cover under	o begin recovery. SSES need to consult a t every 6 feet to et in a multistory cting the studs of door, should be you rent. Ask the
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls? Step 5: During earthquakes and aftershocks Drop! Cover! and Hold On! During earthquakes, drop to the floor, take cover under table, and hold on to it firmly. If you are in bed, hold on and stay there, protecting yillow. The area near outer walls is very dangerous. Do not	o begin recovery. SSES need to consult a t every 6 feet to et in a multistory cting the studs of door, should be you rent. Ask the
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls? Step 5: During earthquakes and aftershocks Drop! Cover! and Hold On! During earthquakes, drop to the floor, take cover under table, and hold on to it firmly. If you are in bed, hold on and stay there, protecting yillow. The area near outer walls is very dangerous. Do not during shaking.	o begin recovery. SSES need to consult a t every 6 feet to et in a multistory cting the studs of door, should be you rent. Ask the r a sturdy desk or your head with a try to go outside
Step 4: Fix your building's potential weaknes If your building needs the following retrofitting, you likely reprofessional: The framing of your house should be bolted at least the perimeter of the concrete foundation (every 4 fee building). Homes with a crawl space should have plywood connet the short "cripple" walls. Larger openings in the lower floor, such as a garage properly reinforced. Masonry walls and chimneys should be reinforced. For those who rent: You control which apartment or house landlord these questions: What retrofitting has been done on this building? Have water heaters been strapped to the wall studs? Can I secure furniture to the walls? Step 5: During earthquakes and aftershocks Drop! Cover! and Hold On! During earthquakes, drop to the floor, take cover under table, and hold on to it firmly. If you are in bed, hold on and stay there, protecting pillow. The area near outer walls is very dangerous. Do not during shaking.	o begin recovery. sees need to consult a t every 6 feet to et in a multistory cting the studs of door, should be you rent. Ask the r a sturdy desk or your head with a try to go outside avoid power lines,

shaking stops.

Sten 6: After the earthquake, check for injuries and damage

Step of After the earthquake, check for injuries and damage
Check for injuries:
$\hfill \square$ If a person is bleeding, put direct pressure on the wound. Use clean
gauze or cloth, if available.
☐ Administer rescue breathing if necessary.
☐ Carefully check children or others needing special assistance.
☐ Do not move seriously injured persons unless they are in immediate
danger of further injury.
☐ Get medical help for serious injuries.
Check for damage:
☐ If possible, put out small fires immediately.
☐ Shut off the main gas valve only if you suspect a leak. Wait for the gas
company to turn it back on.
☐ Shut off power at the main breaker switch if there is any damage to your

fires. ☐ Hazardous materials such as bleach, chemicals, and gasoline should be covered with dirt or cat litter.

house wiring. Unplug broken lights or appliances as they could start

Stay away from chimneys or brick walls with visible cracks. Don't use a fireplace with a damaged chimney.

Stay away from downed power lines and objects in contact with them.

Step 7: When safe, continue to follow your disaster plan

The first days after the earthquake...

Until you are sure there are no gas leaks, do not use open flames or operate any electrical or mechanical device that can create a spark. Never use the following indoors: camp stoves, gas lanterns or heaters, gas or charcoal grills, or gas generators. These can release deadly carbon monoxide or be a fire hazard in aftershocks.

☐ Turn on your portable or car radio for information and safety advisories. ☐ Call your out-of-state contact, tell them your status, then stay off the phone.

☐ Check on the condition of your neighbors.

☐ If power is off, plan meals to use up refrigerated and frozen foods first.

☐ If your water is off or unsafe, you can drink from water heaters, melted ice cubes, or canned vegetables.

Report damage to your local building department and to your local office of emergency services.

If you cannot stay in your home...

Because shelters will likely be overcrowded, do not leave home just because utilities are out of service or your home and its contents have suffered only moderate damage. If you do evacuate, tell a neighbor and your out-of-statecontact where you are going, and take your personal disaster supplies kits and other essentials.

HEALTH TIP: Earthquakes may result in physical damage and injuries, but they can also bring fear, confusion and uncertainty into everyday life. It is important to understand that strong emotional reactions to such events are normal. Re-establish daily routines for work, school, play, meals, and rest. Work with the support networks within your community.

This project was supported by FY07 SHSGP funding awarded by the California Emergency Management Agency, through FEMA/DHS.













This information sheet is produced as part of the Emergency Survival Program (ESP). ESP is an awareness campaign designed to increase home, neighborhood, business and school emergency preparedness. ESP was developed by the County of Los Angeles. The California Emergency Management Agency (Cal EMA) and representatives from Contra Costa, Imperial, Invo, Kern, Los Angeles, Marin, Mono, Orange, Riverside, San Bernardino, San Diego, San Luis Obispo, Santa Barbara, Santa Cruz, and Ventura counties, Southern California Edison, the Southern California Earthquake Center and the American Red Cross assist in the development of campaign materials and coordination of the campaign.